Abalis IM, Eldefrawi ME, Eldefrawi AT. 1985. High-affinity stereospecific binding of cyclodiene insecticides and r-hexachlorocyclohexane to y-aminobutyric acid receptors of rat brain. Pestic Biochem Physiol 24:95-102.

Abalis IM, Eldefrawi ME, Eldefrawi AT. 1986. Effects of insecticides on GABA-induced chloride influx into rat brain microsacs. J Toxicol Environ Health 18:13-23.

- *ACGIH. 1986. Documentation of the threshold limit valves and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists, Cincinnati, OH, 296.
- *ACGIH. 1990. Threshold limit values and biological exposure indices for 1989-1990. American Conference of Governmental Industrial Hygienists, Cincinnati, Ohio.
- *Adeshina F, Todd EL. 1990. Organochlorine compounds in human adipose tissue from north Texas. J Toxicol Environ Health 29:147-156.
- *Ahmed FE, Hart RW, Lewis NJ. 1977. Pesticide induced DNA damage and its repair in cultured human cells. Mutat Res 42:161-174.
- *Akay MT, Alp U. 1981. The effects of BHC and heptachlor on mice. Hacettepe Bull Nat Sci Eng 10:11-22.
- *Akay MT, Kolankaya D, Ozgur KC. 1982. Histological changes in adrenal glands of female mice treated by heptachlor. Hacettepe Bull Nat Sci Eng ll:l-7.

Albrecht WN. 1987. Central nervous system toxicity of some common environmental residues *in the* mouse. J Toxicol Environ Health 21:405-421.

Albright R, Johnson N, Sanderson TW, et al. 1974. Pesticide residues in the top soil of 5 west Alabama counties. Bull Environ Contam Toxicol 12~378-384.

Alexander M. 1981. Biodegradation of chemicals of environmental concern. Science 211:132-138.

- *Alford-Stevens AL, Eichelberger JW, Budde WL. 1988. Multilaboratory study of automated determinations of polychlorinated biphenyls and chlorinated pesticides in water soil and sediment by gas chromatography-mass spectrometry. Environ Sci Technol 22:304-312.
- *Al-Omar MA, Abdul-Jalil FH, Al-Ogaily NH, et al. 1986. A follow-up study of maternal milk contamination with organochlorine insecticide residues. Environ Pollut 42:79-91.

Anderson HA. 1985. Utilization of adipose tissue biopsy in characterizing human halogenated hydrocarbon exposure. Environ Health Perspect 60:127-131.

*Cited in text

Anderson DJ, Hites RA. 1989. Indoor air: Spatial variations of chlorinated pesticides. Atmos Environ 23:2063-2066.

*Arnold DW, Kennedy GL Jr, Keplinger ML, et al. 1977. Dominant lethal studies with technical chlordane, HCS-3260, and heptachlor: heptachlor epoxide. J Toxicol Environ Health 2:547-555.

Arruda JA, Cringan MS, Layher WG, et al. 1988. Pesticides in fish tissue and water from Tuttle Creek Lake, Kansas. Bull Environ Contam Toxicol 41:617-624.

*Arthur RD, Cain JD, Barrentine BF. 1975 The effect of atmospheric levels of pesticides on pesticide residues in rabbit adipose tissue and blood sera. Bull Environ Contamin Toxicol 14(6):760-764.

ATSDR. 1988. Health assessment for Aberdeen pesticide dumps, Aberdeen, North Carolina, Region 4. Atlanta GA: Agency for Toxic Substances and Disease Registry. CERCLIS No. NCD980843346, NTIS/PB90-174813.

ATSDR. 1989. Health assessment for Velsicol Chemical Corporation NPL (National Priorities List) Site, Marshall, Clark County, Illinois, Region 5. Atlanta, GA: Agency for Toxic Substances and Disease Registry. CERCLIS No. ILD000814673.

*Aulerich RJ, Bursian GJ, Napolitano AC. 1990. Subacute toxicity of dietary heptachlor to mink (Mustela m). Arch Environ Contam Toxicol 19(6):913-916.

*Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. Regul Toxicol Pharmacol 8:471-486.

*Barquet A, Morgade C, Pfaffenberger CD. 1981. Determination of organochlorine pesticides and metabolites in drinking water, human blood serum, and adipose tissue. J Toxicol Environ Health 7:469-479.

*Ben-Dyke R, Sanderson DM, Noakes DN. 1970. Acute toxicity data for pesticides. World Rev Pestic Control 9119-127.

Biddinger GR, Gloss SP. 1984. The importance of trophic transfer in the bioaccumulation of chemical contaminants in aquatic ecosystems. Residue Rev 91:103-145.

*Blair A, Grauman DJ, Lubin JH, et al. 1983. Lung cancer and other causes of death among licensed pesticide applicators. J Nat1 Cancer Inst 71:31-37.

Blisard KS, Kornfeld M, McFeeley PJ, et al. 1986. The investigation of alleged insecticide toxicity: A case involving chlordane exposure, multiple sclerosis, and peripheral neuropathy. J Forensic Sci 31:1499-1504.

Bloomquist JR, Soderlund DM. 1985. Neurotoxic insecticides inhibit GABA independent chloride uptake by mouse brain vesicles. Biochem Biophys Res Commun 133:37-43.

*Boyd EM. 1969. Dietary protein and pesticide toxicity in male weanling rats. Bull WHO 40~801-805.

- *Bronstein AC, Currance PL. 1988. Emergency care for hazardous materials exposure. St. Louis, MO: The C.V. Mosby Company, 145, 146.
- Brosten D. 1987. Residue detection goes to the field. Agrichemical Age 31:16-17.
- Brown HS, Goble R, Tatelbaum L. 1988. Methodology for assessing hazards of contaminants in seafood. Regul Toxicol Pharmacol 8:76-101.
- *Buck WB, Radeleff RD, Jackson JB, et al. 1959. Oral toxicity studies with heptachlor and heptachlor epoxide in young calves. J Econ Entomo 52(6): 1127-1129.
- *Burns JE. 1974. Pesticides in people. Organochlorine pesticide and polychlorinated biphenyl residues in biopsied human adipose tissue--Texas 1969-72. Pestic Monit J 7(3-4):122-126.
- *Burse VW, Head SL, Korver MP, et al. 1990. Determination of selected organochloride pesticides and polychlorinated biphenyls in human serum. J Anal Toxicol 14137-142.
- *Calabrese E. 1978. Pollutants and high risk groups: The biological basis of increased human susceptibility to environmental and occupational pollutants. New York, NY: John Wiley and Sons.
- *Carey AE, Gowen JA, Tai H, et al. 1978. Pesticide residue levels in soils and crops, 1971: National Soils Monitoring Program (III). Pestic Monit J 12:117-136.
- *Carter FL, Stringer CA 1970. Residues and degradation products of technical heptachlor in various soil types. J Econ Entomol 63625-628.
- *CELDS. 1990a. Computer-environmental legislative data systems. June 21, 1990.
- *CELDS. 1990b. Computer-environmental legislative data systems. November 28, 1990.
- *Chadduck WM, Gollin SM, Gray BA, et al. 1987. Gliosarcoma with chromosome abnormalities in a neonate exposed to heptachlor. Neurosurgery 21:557-559.
- *Ghan CH, Perkins LH. 1989. Monitoring of trace organic contaminants in atmospheric precipitation. J Great Lakes Res 15(3):465-475.
- *Chapman PM. 1989. Current approaches to developing sediment quality criteria. Environ Toxicol Chem 8:589-600.
- *CHEMFATE. 1985. Heptachlor. Syracuse Research Corporation, Syracuse, New York.
- Chiou CT. 1989. Partition and adsorption on soil and mobility of organic pollutants and pesticides. In: Gerstl Z, ed. Ecological studies, Vol. 73. Toxic organic chemical in porous media: Second international workshop on behavior of pollutants in porous media, Bet Dagan, Israel, June 1987. New York, NY: Springer-Verlag, 163-175.

- *Chuang LF, Hinton DE, Cheung ATW, et al. 1991. Induction of differentiation in human myeloblastic leukemia ML-l ceils by heptachlor, a chlorinated hydrocarbon insecticide. Toxicol Appl Pharmacol 109:98-107.
- *CLPSD. 1989. Contract Laboratories Program Statistical Database. U.S. Environmental Protection Agency, Washington, D.C. July 1989.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. Journal of Water Pollution Control Fed 56898-908.
- *Corrigan PJ, Seneviratna P. 1989. Pesticide residues in Australian meat. Vet Ret 125(8):180-181.
- *Crebelli R, Bellincampi D, Conti G, et al. 1986. A comparative study on selected chemical carcinogens for chromosome malsegregation, mitotic crossing-over and forward mutation induction in <u>Asnergillus nidulans</u>. Mutat Res 172:139-149.
- *CRIS/USDA. 1990. Current Research Information System: Heptachlor and heptachlor epoxide. U.S. Department of Agriculture, Beltsville, MD. May 1990.
- *Curley A, Copeland MF, Kimbrough RD. 1969. Chlorinated hydrocarbon insecticides in organs of stillborn and blood of newborn babies. Arch Environ Health 19:628-632.
- *Dadey JL, and Kammer AG. 1953. Chlordane intoxication. JAMA 153:723.
- Davies RP, Dobbs AJ. 1984. The prediction of bioconcentration in fish. Water Research 18:1253-1562.
- *Den Tonkelaar EM, Van Esch GJ. 1974. No-effect levels of organochlorine pesticides based on induction of microsomal liver enzymes in short-term toxicity experiments. Toxicology 2:371-380.
- *Derbes VJ, Dent JH, Forrest WW, et al. 1955. Fatal chlordane poisoning. JAMA 158:1367-1369.
- *DeVault DS. 1985. Contaminants in fish from Great Lakes harbors and tributary mouths. Arch Environ Contam Toxicol 14~587-594.
- *Di Muccio A, Rizzica M, Ausili A, et al. 1988. Selective, on-column extraction of organochlorine pesticide residues from milk. J Chromatogr 456(1):143-148.
- *DNR. 1987. Order of the state of Wisconsin natural resources board repealing, renumbering, renumbering and amending, amending, repealing and recreating, and creating rules. Section 27, Chapter NR 105. Surface Water Quality Criteria for Toxic Substances. Department of Natural Resources, Wisconsin.
- Dobbs RA, Wang L, Govind R. 1989. Sorption of toxic organic compounds on wastewater solids: Correlation with fundamental properties. Environ Sci Technol 23:1092-1097.
- *Dvorak M, Halacka K. 1975. Ultrastructure of liver cells in pig at normal conditions and after administration of small doses of heptachlorine. Folia Morph01 23:71-76.

- *Eichelberger, JW, Lichtenberg JJ. 1971. Persistence of pesticides in river water. Environ Sci Technol 51541-544.
- *Eisler M. 1968. Heptachlor: Toxicology and safety evaluation. Ind Med Surg 37(11):840-844.
- *Elder JF, Mattraw HC Jr. 1984. Accumulation of trace elements, pesticides, and polychlorinated biphenyls in sediments and the clam corbicula manilensis of the Apalachicola River, Florida. Arch Environ Contam Toxicol 13:453-469.
- Eliott JR, Noble DG, Norstrom RJ, et al. 1989. Organochlorine contaminants in seabird eggs from the Pacific coast of Canada, 1971-1986. Environmental Monitoring and Assessment 12:67-82.
- *Enan EE, El-Sebae AH, Enan OH. 1982. Effect of liver functions by some chlorinated hydrocarbon insecticides in white rats. Meded Fat Landbouwet Rijksuniv Gent 47(1):447-457.
- *EPA 1978a. Designation of hazardous substances. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 116.4.
- *EPA 1978b. Designation of hazardous substances. U.S. Environmental Protection Agency. Federal Register 43:10474-10488.
- *EPA 1978c. Pesticide chemicals. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 455.
- *EPA 1979a. Toxic pollutants. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 401.15.
- *EPA 1979b. Toxic pollutants. U.S. Environmental Protection Agency. Federal Register 44~4450244503.
- *EPA 1979c. Water-related environmental fate of 129 priority pollutants. Vol I: Introduction and technical background, metals and inorganic& pesticides and PCBs. Office of Water Planning and Standards. Washington, DC: U.S. Environmental Protection Agency. EPA-440/4-79-029a.
- *EPA 1980a. Ambient water quality criteria for heptachlor. Washington, DC: U.S. Environmental Protection Agency, Criteria and Standards Division. EPA 440/5-80-52.
- *EPA 1980b. Discarded commercial chemical products, off-specification species, container residues, and spill residues thereof. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261.33.
- *EPA 1980c. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Federal Register 45:78530-78550.
- *EPA 1980d. Water quality criteria documents: Availability. U.S. Environmental Protection Agency. Federal Register 45:79318-79341.
- *EPA 1985a. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 302.

- *EPA. 1985b. Designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Federal Register 50:13474-13522.
- *EPA. 198%. National primary drinking water regulations; Synthetic organic chemicals, inorganic chemicals and microorganisms. U.S. Environmental Protection Agency. Federal Register 50:46936-46964.
- *EPA 1985d. Pesticide chemicals category effluent limitations guidelines, pretreatment standards, and new source performance standards. U.S. Environmental Protection Agency. Federal Register 50:40672-40777.
- *EPA 1986a. Guidance for the reregistration of pesticide products containing heptachlor as the active ingredient. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide and Toxic Substances. EPA-540/RS-87-018.
- *EPA 1986b. Identification and listing of hazardous waste and designation, reportable quantities, and notification. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261 and 302, Section 261.33 and Appendix VIII, 302.4, and 302.6.
- EPA 1986c. Superfund record of decision (EPA Region 4): Gallaway Ponds Site, Gallaway, Tennessee, September 1986. Washington, DC: U.S. Environmental Protection Agency. NTIS PB87-189080.
- *EPA 1986d. Test methods for evaluating solid waste. 3rd ed. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response. SW-846, 8080-1-8080-27, 8250-1-8250-32.
- *EPA 1987a. Determination of Henry's Law constants of selected priority pollutants. Cincinnati, OH: U.S. Environmental Protection Agency. EPA 600/D-87/229, NTIS PB87-212684.
- *EPA 1987b. Ground-water monitoring list. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 264, Appendix IX.
- *EPA 1987c. Health advisories for 16 pesticides: Heptachlor and heptachlor epoxide. Washington DC: U.S. Environmental Protection Agency, Office of Drinking Water. Report No. PB87-200176.
- *EPA 1987d. List (Phase 1) of hazardous constituents for ground-water monitoring. U.S. Environmental Protection Agency. Federal Register 52: 25942-25952.
- *EPA 1987e. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Federal Register 52~21152-21208.
- *EPA 1987f. Updated drinking water standards and health advisory table. San Francisco, CA: U.S. Environmental Protection Agency, Region IX.
- *EPA 1988a. Analysis of Clean Water Act effluent guidelines pollutants. Summary of the chemicals regulated by industrial point source category. 40 CFR Parts 400-475. Draft. Washington, DC: U.S.
- Environmental Protection Agency, Office of Water, Office of Water Regulations and Standards, Industrial Technology Division (WI-I 522).

- *EPA 1988b. Hazardous constituents. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 261, Appendix VIII.
- *EPA 1988~. Hazardous waste management system: Identification and listing of hazardous waste. U.S. Environmental Protection Agency. Federal Register 53:13382-13393.
- *EPA 1988d. Pesticides in groundwater database: 1988 interim report. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs. NTIS PB89-164230 AS.
- *EPA 1988e. Toxic chemical release reporting: Community right-to-know. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 372.
- *EPA 1989a. Interim methods for development of inhalation reference doses. U.S. Environmental Protection Agency. EPAf600/8-88/066F.
- *EPA 1989b. National primary and secondary drinking water regulations. U.S. Environmental Protection Agency. Federal Register 54:22062-22160.
- *EPA 1989c. National primary drinking water regulations. U.S. Environmental Protection Agency. Code of Federal Regulations 40 CFR 141,142,143.
- *EPA 19896 Listing of hazardous substances and reportable quantities. U.S. Environmental Protection Agency. Federal Register 54(155):33459.
- *EPA 1990a. Drinking water regulations and health advisories. Washington, DC U.S. Environmental Protection Agency, Office of Drinking Water.
- *EPA 1990b. Suspended, canceled, and restricted pesticides. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.
- *Epstein SS, Ozonoff D. 1987. Leukemias and blood dyscrasias following exposure to chlordane and heptachlor. Teratogenesis Carcinog Mutagen 7:527-540.
- *Epstein SS, Arnold E, Andrea J, et al. 1972. Detection of chemical mutagens by the dominant lethal assay in the mouse. Toxicol Appl Pharmacol 23:288-325.
- *FDA 1989a. Action levels for residues of heptachlor and heptachlor epoxide in food and feed. U.S. Department of Health and Human Services. Food and Drug Administration. Federal Register 54:50025-50026.
- *FDA 1989b. Current action levels and recommended replacement action levels for heptachlor and heptachlor epoxide. U.S. Department of Health and Human Services. Food and Drug Administration 5433692-33693.
- *FDA 1989c. Food and Drug Administration program residues in foods, 1988. J Assoc Off Anal Chem 72:134A-152A.
- *FEDRIP. 1990. Federal Research in Progress: Heptachlor. Dialog Information Service, Inc. July, 1990.

Fehringer NV, Walters SM. 1986. Evaluation of capillary gas chromatography for pesticide and industrial chemical residue analysis II. Comparison of quantitative results obtained on capillary and packed columns. J Assoc Off Anal Chem 69:90-93.

Fendick EA, Mather-Mihaich E, Houck KA, et al. 1990. Ecological toxicology and human health effects of heptachlor. Rev Environ Contam Toxicol 111:61-142.

- *Feroz M, Podowski AA, Khan MAQ. 1990. Oxidative dehydrochlorination of heptachlor by Daphnia magna. Pesticide Biochemistry and Physiology 36(2)101-105.
- *Formanek J, Vanickova M, Plevova J, et al. 1976. The effect of some industrial toxic agents on EEG frequency spectra in rats. Adverse Effects of Environmental Chemicals and Psychotropic Drugs 2:257-268.
- *FSTRAC. 1988. Summary of state and federal drinking water standards and guidelines. Federal-State Toxicology and Regulatory Alliance Committee, Chemical Communication Subcommittee.
- *Fytianos K, Vasilikiotis G, Weil L, et al. 1985. Preliminary study of organochlorine compounds in milk products, human milk, and vegetables. Bull Environ Contam Toxicol 34:.504-508.
- *Gaines TB. 1969. Acute toxicity of pesticides. Toxicol Appl Pharmacol 14~515-534.
- *Gak JC, Grillot C, Truhaut R. 1976. Use of the golden hamster in toxicology. Lab Anim Sci 26(2):274-280.
- *Gannon N and Decker GC. 1960. The excretion of dieldrin, DDT, and heptachlor epoxide in milk of dairy cows fed on pastures treated with dieldrin, DDT, and heptachlor. J Econ Entomol 53(3):411-415.
- Garten CT Jr, Trabalka JR. 1983. Evaluation of models for predicting terrestrial food chain behavior of xenobiotics. Environ Sci Technol 17:590-595.
- Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986a. Pesticides, selected elements, and other chemicals in adult total diet samples, October 1980-March 1982. J Assoc Off Anal Chem 69:146-161.
- *Gartrell MJ, Craun JC, Podrebarac DS, et al. 1986b. Pesticides, selected elements, and other chemicals in infant and toddler total diet samples, October 1980-March 1982. J Assoc Off Anal Chem 69:123-145.
- *Gasper GM and Kawatski JA 1972. Inhibition by heptachlor epoxide of succinic dehydrogenase activity in mouse liver homogenates. Comp Biochem Physiol 41: 655-660.
- *Gentile JM, Gentile GJ, Bultman J, et al. 1982. An evaluation of the genotoxic properties of insecticides following plant and animal activation. Mutat Res 101:19-29.
- *Geyer H, Sheehan P, Kotzias D, et al. 1982. Prediction of ecotoxicological behavior of chemicals: Relationship between physicochemical properties and bioaccumulation of organic chemicals in the mussel Mytilus edulis. Chemosphere 11:1121-1134.
- Geyer H, Scheunert I, Korte F. 1986. Bioconcentration potential of organic environmental chemicals in humans. Regul Toxicol Pharmacol 6:313-347.

- Ghiasuddin SM, Matsumura F. 1982. Inhibition of gamma-amino butyric acid (GABA)-induced chloride uptake by gamma-BHC-d heptachlor epoxide. Comp Biochem Physiol 73C:141-144.
- *Gillett JW, Chan TM. 1968. Cyclodiene insecticides as inducers, substrates, and inhibitors of microsomal epoxidation. J Agric Food Chem 16:590-593.
- *Glatt H, Jung R, Oesch F. 1983. Bacterial mutagenicity investigation of epoxides: Drugs, drug metabolites, steroids, and pesticides. Mutat Res 111:99-118.
- *Graham RE, Burson KR, Hammer CF, et al. 1973. Photochemical decomposition of heptachlor epoxide. J Agric Food Chem 21:824-834.
- *Green VA. 1970. Effects of pesticides on rat and chick embryo. In: Hemphill D, ed. Trace substance environmental health 3, Proc 3rd Ann Conf, University of Missouri, 183-209.
- *Greer ES, Miller DJ, Burscato FN, et al. 1980. Investigation of pesticide residues in human adipose tissue in the northeast Louisiana area. J Agric Food Chem 2876-78.
- *Gregor DJ, Gummer WD. 1989. Evidence of atmospheric transport and deposition of organochlorine pesticides and polychlorinated biphenyls in Canadian arctic snow. Environ Sci Technol 23:561-565.
- Griffith J, Duncan RC. 1985. Serum organochlorine residues in Florida citrus workers compared to the national health and nutrition examination survey sample. Bull Environ Contam Toxicol 35:411-417.
- *Gunderson EL. 1988. FDA total diet study, April 1982-April 1984, dietary intakes of pesticides, selected elements and other chemicals. J Assoc Off Anal Chem 71:1200-1209.
- Haake J, Kelley M, Keys B, et al. 1987. The effects of organochlorine pesticides as inducers of testosterone and benzo(a)pyrene hydroxylases. Gen Pharmacol 18165-169.
- *Haddad LM, Winchester JF. 1990. Clinical management of poisoning and drug overdose. Second edition. Philadelphia, PA: W.B. Saunders Company.
- *Halacka K, Dvorak M, Rysanek K, et al. 1974. Influence of low perorally administered doses of heptachlor on liver tissue of experimental animals. Scr Med Fat Med Univ Brun Purkynianae 47(6):365-372.
- Hallberg GR. 1989. Pesticide pollution of groundwater in the humid United States. Agriculture, Ecosystems and Environment 26:299-367.
- *Harbison RD. 1975. Comparative toxicity of some selected pesticides in neonatal and adult rats. Toxicol Appl Pharmacol 32: 443-446.
- *Harradine IR, McDougall KW. 1986. Residues in cattle grazed on land contaminated with heptachlor. Aust Vet J 63:419-422.
- *Hartley DM, Johnston JB. 1983. Use of the fresh water clam Corbicula manilensis as a monitor for organochlorine pesticides. Bull Environ Contam Toxicol 31:33-40.

- *Hawker DW, Connell DW. 1986. Bioconcentration of lipophilic compounds by some aquatic organisms. Ecotoxicol Environ Safety 11:184-197.
- *Hayes WJ. 1982. Pesticides studied in man. Baltimore, MD: The Williams & Wilkins Co., 233-234.
- *HAZDAT. ,1992. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA October 30, 1992.
- Hellawell JM. 1988. Toxic substances in rivers and streams. Environmental Pollution 50~61-85.
- *Hill DW, McCarty PL. 1967. Anaerobic degradation of selected chlorinated hydrocarbon pesticides. J Water Pollut Contr Fed 39(8):1259-1277.
- *Holt RL, Cruse S, Greer ES. 1986. Pesticide and polychlorinated biphenyl residues in human adipose tissue from northeast Louisiana. Bull Environ Contam Toxicol 36:651-655.
- *Hopper ML, Griffitt KR. 1987. Evaluation of an automated gel permeation cleanup and evaporation systems from determining pesticide residues in fatty samples. J Assoc Off Anal Chem 70:724-726.
- *HSDB. 1990a. Hazardous Substances Data Bank (heptachlor). Bethesda, MD: National Library of Medicine, National Toxicology Information Program. March 6, 1990.
- *HSDB. 1990b. Hazardous Substances Data Bank (heptachlor epoxide). Bethesda, MD: National Library of Medicine, National Toxicology Information Program. March 6, 1990.
- *HSDB. 1992. Hazardous Substances Data Bank. Bethesda, MD: National Library of Medicine, National Toxicology Information Program. June 1992.
- *IARC. 1974. IARC Monographs on the evaluation of the carcinogenic risk of chemicals to man: Some organic pesticides. Vol 5: Heptachior. Lyon, France: World Health Organization, International Agency for Research on Cancer, 173-191.
- *IARC. 1979. IARC Monographs on the evaluation of the carcinogenic risk of chemicals to humans. Vol 20: Heptachlor and Heptachlor Epoxide. Lyon, France: World Health Organization, International Agency for Research on Cancer, 129-154.
- *IARC. 1987a. IARC Monographs on the evaluation of the carcinogenic risks to humans. Supplement 6: Genetic and related effects: An updating of selected IARC monographs from volumes 1 to 42. Geneva, Switzerland: World Health Organization, International Agency for Research on Cancer, 328-330.
- *IARC. 1987b. IARC Monographs on the evaluation of the carcinogenic risks to humans. Supplement 7: Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1 to 42. Geneva, Switzerland: World Health Organization, International Agency for Research on Cancer, 146-148.
- *IEPA. 1988. Illinois water quality report 1986-1987. Springfield, IL: Illinois Environmental Protection Agency, Division of Water Pollution Control. IEPA/WPC/88-002.

- *Infante PF, Epstein SS, Newton WA Jr. 1978. Blood dyscrasias and childhood tumors and exposure to chlordane and heptachlor. Stand J Work Environ Health 4:137-150.
- *IRIS. 1990. Integrated Risk Information Systems. U.S. Environmental Protection Agency. Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office, Cincinnati, Ohio.
- Isnard P, Lambert S. 1989. Aqueous solubility and n-octanol/water partition coefficient correlations. Chemosphere 18:1837-1853.
- *Ivie GW, Knox JR, Khalifa S, et al. 1972. Novel photoproducts of heptachlor epoxide, trans-chlordane, and trans-nonachlor. Bull Environ Contam Toxicol 7:376-382.
- *Izushi F, Ogata M. 1990. Hepatic and muscle injuries in mice treated with heptachlor. Toxicol Lett 54:47-54.
- *Jain AK, Sarbhoy RK. 1987a. Cytogenetical studies on the effect of some chlorinated pesticides. I. Effect on somatic chromosomes of & and Pisum. Cytologia 52:47-54.
- *Jain AK, Sarbhoy RK. 1987b. Cytogenetical studies on the effect of some chlorinated pesticides. II. Effect on meiotic chromosomes of m and Pisum. C y t o l o g i a 52:55-62.
- *Jonsson V, Liu GJK, Armbruster J, et al. 1977. Chlorohydrocarbon pesticide residues in human milk in greater St. Louis, Missouri 1977. Am J Clin Nutr 30:1106-1109.
- *Jury WA, Winer AM, Spencer WF, et al. 1987. Transport and transformation of organic chemicals in the soil-air-water ecosystem. Environ Contam Toxicol 99~119-164.
- *Kacew S, Singhal RL. 1973. The influence of p,p-DDT, a-chlordane, heptachlor, and endrin on hepatic and renal carbohydrate metabolism and cyclic AMP-adenyl cyclase system. Life Sci 13:1363-1371.
- *Kacew S, Sutherland DJB, Singhal RL. 1973. Biochemical changes following chronic administration of heptachlor, heptachlor epoxide and endrin to male rats. Environ Physiol Biochem 3: 221-229.
- *Klemmer HW, Budy AM, Takahashi W. 1977. Human tissue distribution of cyclodiene pesticides—Hawaii 1964-1973. Clin Toxicol 11(1):71-82.
- *Korfmacher WA, Rushing LG, Siitonen PH, et al. 1987. Confirmation of heptachlor epoxide and octachlor epoxide in milk via fused silica gas chromatography/negative ion chemical ionization mass spectrometry. J High Resolut Chromatogr Commun 10:332-336.
- *Krampl V. 1971. Relationship between serum enzymes and histological changes in liver after administration of heptachlor in the rat. Bull Environ Contam Toxicol 5:529-536.
- *Kroger M. 1972. Insecticide residues in human milk. J Pediatr 80(3):401-405.
- *Kurata M, Hirose K, Umeda M. 1982. Inhibition of metabolic cooperation in Chinese hamster cells by organochlorine pesticides. Gann 73:217-221.

- *Larsen AA, Robinson, JM, Schmitt N, et al. 1971. Pesticide residues in mother's milk and human fat from intensive use of soil insecticides. HSMHA Health Reports 86(5): 477-481.
- *LeBel GL, Williams DT. 1986. Determination of halogenated contaminants in human adipose tissue. J Assoc Off Anal Chem 69:451-458.
- *Lehman AJ. 1951. Chemicals in foods: A report to the Association of Food and Drug Officials on current developments. Part II. Pesticides. U S Q Bull 15:122-133.
- *Leland HV, Bruce WN, Shimp NF. 1973. Chlorinated hydrocarbon insecticides in sediments of southern Lake Michigan. Environ Sci Tech 7:833-838.
- *Le Marchand L, Kolonel LN, Siegel BZ, et al. 1986. Trends in birth defects for a Hawaiian population exposed to heptachlor and for the United States. Arch Environ Health 41(3):145-148.
- *Lewis RG, Bond AE, Fitz-Simons TR, et al. 1986. Monitoring for non-occupational exposure to pesticides in indoor and personal respiratory air. In: proceedings of the 79th Annual meeting of the air pollution control association, June 22-27, 1986. Minneapolis, MN: APCA, 86-37.4:1-15.
- *Lichtenstein EP, Schultz KR, Fuhremann TW, et al. 1970. Degradation of aldrin and heptachlor in field soils during a ten-year period translocation into crops. J Agric Food Chem 18:100-106.
- *Lopez-Avila V, Wesselman R, Edge11 K. 1990. Gas chromatographic-electron capture detection method for determination of 29 organochlorine pesticides in finished drinking water: Collaborative study. J Assoc Off Anal Chem 73(2):276-286.
- Lu PY, Metcalf RL, Hirwe AS, et al. 1975. Evaluation of environmental distribution and fate of hexachlorocyclopentadiene, chlordene, heptachlor, and heptachlor epoxide in a laboratory model ecosystem. J Agric Food Chem 23(5):967-973.
- Luke MA, Masumoto HT, Cairns T, et al. 1988. Levels and incidences of pesticide residues in various foods and animal feeds analyzed by the Luke multiresidue methodology for fiscal years 1982-1986. J Assoc Off Anal Chem 71:415-420.
- *Lummis SCR, Buckingham SD, Rauh JJ, et al. 1990. Blocking actions of heptachlor at an insect central nervous system GABA receptor. Proc R Sot Lond [Biol] 240:97-106.
- *Lyman WJ, Reehl WF, Rosenblatt DH. 1982. Handbook of chemical property estimation methods. New York, NY: McGraw-Hill Book Co, 15-29.
- *MacKay D. 1982. Correlation of bioconcentration factors. Environ Sci Technol 16:274-278.
- *MacMahon B, Monson RR, Wang HH, et al. 1988. A second follow-up of mortality in a cohort of pesticide applicators. J Occup Med 30:429-432.
- *MacMonegle CW Jr, Steffey KL, Bruce WN. 1984. Dieldrin, heptachlor, and chlordane residues in soybeans in Illinois 1974, 1980. J Environ Sci Health B19:39-48.

Maddy KT, Edmiston S, Richmond D. 1990. Illness, injuries, and deaths from pesticide exposures in California, USA 1949-1988. In: Ware GW, ed. Reviews of Environmental Contamination and Toxicology, 114:57-124.

Marcus JM, and Renfrow RT. 1990. Pesticides and PCBs in South Carolina, USA estuaries. Mar Pollut Bull 21(2):96-99.

Marsden PJ, Pearson JG, Bottrell DW. 1986. Pesticide analytical methods -- general description and quality control considerations. Hazard Ind Solid Waste Test 5198-212.

*Marshall TC, Dorough HW, Swim HE. 1976. Screening of pesticides for mutagenic potential using <u>Salmonella typhimurium</u> mutants. J Agric Food Chem 24(3):560-563.

Martin DB, Hartman WA. 1985. Organochloride pesticides and polychlorinated biphenyls in sediments and fish from wetlands in the north central United States. J Assoc Off Anal Chem 68:712-717.

- *Maslansky CJ, Williams GM. 1981. Evidence of an epigenetic mode of action in organochlorine pesticide hepatocarcinogenicity: A lack of genotoxicity in rat, mouse, and hamster hepatocytes. J Toxicol Environ Health 8:121-130.
- *Matsumura F. 1985. Involvement of picrotoxinin receptor in the action of cyclodiene insecticides. Neurotoxicology 6(2):139-164.
- *Matsumura F, Ghiasuddin SM. 1983. Evidence for similarities between cyclodiene type insecticides and picrotoxinin in the action mechanisms. J Environ Sci Health B18:1-14.
- *Matsumura F, Tanaka K. 1984. Molecular basis of neuroexcitatory actions of cyclodiene-type insecticides.Cell Mol Neurotox 20:225-240.
- *McDougall KW, Singh G, Harris CR, et al. 1987. Organochlorine insecticide residues in some agricultural soils on the north coast region of New South Wales. Bull Environ Contam Toxicol 39:286-293.
- *McFall JA, Antoine SR, DeLeon IR. 1985. Organics in the water column of Lake Pontchartrain. Chemosphere 14:1253-1265.
- *McGregor DB, Brown A, Cattanach P, et al. 1988.. Response of the L5178Y tk+/tk- mouse lymphoma cell forward mutation assay: III. 72 Coded chemicals. Environ Mol Mutagen 12:85-154.
- *McLean JE, Sims RC, Doucette WJ, et al. 1988. Evaluation of mobility of pesticides in soil using U.S. EPA methodology. J Environ Eng 114(3):689-703.

Mersch-Sundermann V, Hofmeister A, Mueller G, et al. 1989. [Examination of mutagenicity of organic microcontaminations of the environment. III. Communication: The mutagenicity of selected herbicides and insecticides with the SOS-chromotest]. Zbl Hyg 189:135-146. (German).

*Mes J, Davies DJ, Turton D, et al. 1986. Levels and trends of chlorinated hydrocarbon contaminants in the breast milk of Canadian women. Food Addit Contam 3:313-322.

- *Mestitzova M. 1967. On reproduction studies and the occurrence of cataracts in rats after long-term feeding of the insecticide heptachlor. Experientia 23:42-43.
- *Miles JRW, Tu CM, Harris CR. 1971. Degradation of heptachlor epoxide and heptachlor by a mixed culture of soil microorganisms. J Econ Entomol 64839841.
- *Moser GJ, Smart RC. 1989. Hepatic tumor-promoting chlorinated hydrocarbons stimulate protein kinase C activity. Carcinogenesis 1085 1-856.
- *Massing ML, Redetzke KA, Applegate HG. 1985. Grganochlorine pesticides in blood of persons from El Paso, Texas. J Environ Health 47:312-313.
- *Morgan DP. 1989. Recognition and management of pesticide poisonings. Fourth edition. Washington, DC: U.S. Environmental Protection Agency. EPA-540/9-88-001.

Muir DCG, Norstrom RJ, Simon M. 1988. Qrganochlorine contaminants in Arctic marine food chains: Accumulation of specific polychlorinated biphenyls and chlordane related compounds. Environ Sci Technol 22:1071-1079.

Murphy R, Harvey C. 1985. Residues and metabolites of selected persistent halogenated hydrocarbons in blood specimens from a general population survey. Environ Health Perspect 60~115-120.

- *Murray HE, Beck JN. 1990. Concentrations of selected chlorinated pesticides in shrimp collected from the Calcasieu River/Lake Complex Louisiana. Bull Environ Contam 44:798-804.
- *Mussalo-Rauhamaa H, Pyysalo H, Antervo K. 1988. Relation between the content of organochlorine compounds in Finnish human milk and characteristics of the mothers. J Toxicol Environ Health 25:1-19.

Nash RG. 1983a. Comparative volatilization and dissipation rates of several pesticides from soil. J Agric Food Chem 31:210-217. Nash RG. 1983b. Determining environmental fate of pesticides with microagroecosystems. Residue Rev 85:199-216.

- *NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.
- *NATICH. 1991. National Air Toxics Information Clearinghouse. Data base report on state, local, and EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Washington, DC. January 1, 1991.
- *NCI. 1977. Bioassay of heptachlor for possible carcinogenicity. CAS No. 76-44-8. Technical Report Series 9.Bethesda, MD: U.S. Department of Health, Education, and Welfare, National Institute of Health, National Cancer: Institute. DHEW Publication (NIH) 77-809.

- *Netzel NR. 1981. Industrial hygiene survey: Velsicol Chemical Corporation, Memphis, Tennessee plant. Office of Toxic Substance Microfiche 200501.
- *NIOSH. 1979. NIOSH manual of analytical methods. Vol. 5. Washington, D.C. U.S. Department of Heath, Education, and Welfare, National Institute for Occupational Safety and Health. DHEW (NIOSH) Pub. No. 79-141.
- *NIOSH. 1985. Pocket guide to chemical hazards. Washington, DC: U.S. Department of Heath and Human Services, National Institute for Occupational Safety and Health. DHEW (NIOSH) Pub. No. 78-210.
- *NIOSH. 1992. NIOSH recommendations for occupational safety and health compendium of policy documents and statements. Washington, D.C. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health. OHEW (NIOSH) Pub. No. 92-162536.
- Norstrom RJ, Simon M, Muir DCG, et al. 1988. 'Organochlorine contaminants in arctic marine food chains: Identification, geographical description and temporal trends in polar bears. Environ Sci Technol 22:1063-1071.
- *NREPC. 1986. Natural resources and environmental protection cabinet. Department for Environmental Protection, Kentucky. Proposed Regulation. 401 KAR 63:022.
- *NREPC. 1988. Natural resources and environmental protection cabinet. Kentucky Waste Management Regulations. Department for Environmental Protection. 401 KAR 31:030.
- *NTP. 1990. National Toxicology Program: Review of Current DHHS, DOE and EPA research related to toxicology. Washington, DC: U.S. Department of Health and Human Service. NTP-90-153.
- *Ober AG, Santa Maria I, Carmi JD. 1987. Organochlorine pesticide residues in animal feed by cyclic steam distillation. Bull Environ Contam Toxicol 38404-408.
- *Ogata M, Izushi F, Eto K, et al. 1989. Effects of chlordane on hepatic mitochondrial respiration. Toxicol Lett 48:67-74.
- *OHMP-ADS. 1985a. Heptachlor. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc. December 1985.
- *OHM/TADS. 1985b. Heptachlor epoxide. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc. December 1985.
- Omura M, Hashimoto K, Ohta K, et al. 1990. Relative retention time diagram as a useful tool for gas chromatographic analysis and electron-capture detection of pesticides. J Assoc Off Anal Chem 73(2):300-306.
- *OSHA. 1989a. Air contaminants. U.S. Department of Labor, Occupational Safety and Health Administration. Federal Register 542920-2960.
- *OSHA. 1989b. Toxic and hazardous substances. U.S. Department of Labor, Occupational Safety and Health Administration. Code of Federal Regulations 29 CFR 1910.1000.

- Pearce N, Reif JS. 1990. Epidemiological studies of cancer in agricultural workers. Am J Ind Med 18(2):133-148.
- *Pelikan Z. 1971. Short-term intoxication of rats by heptachlor administered in diet. Arch Belg Med Sot Hyg Med Trav Med Leg 29(7):462-470.
- *Pines A, Cucos S, Ever-Hadani P, et al. 1986. Levels of some organochlorine residues in blood of patients with arteriosclerotic disease. Sci Total Environ 54:135-156.
- *Pines A, Cucos S, Ever-Hadani P, et al. 1987. Some organochlorine insecticide and polychlorinated biphenyl blood residues in infertile males in the general Israeli population of the middle 1980's. Arch Environ Contam Toxicol 16:587-598.
- *Podowski AA, Banerjee BC, Feroz M, et al. 1979. Photolysis of heptachlor and cis-chlordane and toxicity of their photoisomers to animals. Arch Environ Contam Toxicol 8509-518.
- *Polishuk ZW, Ron M, Wassermann M, et al. 1977a. Organochlorine compounds in mother and fetus during labor. Environ Res 13:278-294.
- *Polishuk ZW, Ron M, Wassermann M, et al. 1977b. Pesticides in people: Organochlorine compounds in human blood plasma and milk. Pestic Monit J 10(4):121-129.
- *Probst GS, McMahon RE, Hill LE, et al. 1981. Chemically-induced unscheduled DNA synthesis in primary rat hepatocyte cultures: A comparison with bacterial mutagenicity using 218 compounds. Environ Mutagen 3:11-23.
- Radhakrishnan AG, Antony PD. 1989. Pesticide residues in marine fishes. Fishery Technology 26(1):60-61.
- Radomski JL, Davidow B. 1953. The metabolite of heptachlor, its estimation, storage and toxicity. J Pharmacol Exp Ther 107:266-272.
- *Radomski JL, Deichmann WB, Clizer EE, et al. 1968. Pesticide concentrations in the liver, brain, and adipose tissue of terminal hospital patients. Food Cosmet Toxicol 6:209-220.
- *Radomski JL, Astolfi E, Deichmann WB, et al. 1971a. Blood levels of organochlorine pesticides in Argentina: Occupationally and nonoccupationally exposed adults, children, and newborn infants. Toxicol Appl Pharmacol 20: 186-193.
- *Radomski JL, Deichmann WB, Rey AA, et al. 1971b. Human pesticide blood levels as a measure of body burden and pesticide exposure. Toxicol Appl Pharmacol 20: 175-185.
- Raisbeck MF, Rottinghaus GE, Satalowich FT, et al. 1987. Heptachlor contamination of dairy, beef, and swine: The experience in Missouri. Proceedings of Annual Meeting of American Association of Veterinary Laboratory Diagnosticians, 29161-182.
- *Rashid KA, Mumma RO. 1986. Screening pesticides for their ability to damage bacterial DNA J Environ Sci Health Part [B] 21:319-334.

- Reuber MD. 1987. Carcinogenicity of heptachlor and heptachlor epoxide. J Environ Path01 Toxicol Oncol 7:8.5-1 14.
- *Ritcey WR, Savary G, McCully KA. 1972. Organochlorine insecticide residues in human milk, evaporated milk and some milk substitutes in Canada. Can J Pub1 Hlth 63: 125-132.
- *Roberts JW, Camann DE. 1989. Pilot study of a cotton glove press test for assessing exposure to pesticides in house dust. Bull Environ Contam Toxicol 43:717-724.
- *Rosenkranz HS, Klopman G. 1990. Structural basis of carcinogenicity in rodents of genotoxicants and non-genotoxicants. Mutat Res 228:105-124.
- *Ruth RJ, Fransson R, Flodstrom S, et al. 1990. -Inhibition of hepatocyte gap junctional intercellular communication by endosulfan, chlordane, and heptachlor. Carcinogenesis 11(7):1097-1102.
- *Saito I, Kawamura N, Uno K, et al. 1986. Relationship between chlordane and its metabolites in blood of pest control operators and spraying conditions. Int Arch Occup Environ Health 58:91-97.
- *Sandhu SS, Ma TI-I, Peng Y, et al. 1989. Clastogenicity evaluation of seven chemicals commonly found at hazardous industrial waste sites. Mutat Res 224:437-445.
- *Santa Maria I, Carmi JD, Valdivia M. 1986. Recovery studies of organochlorine insecticides in fruits and vegetables using cyclic steam-distillation. Bull Environ Contam Toxicol 36:41-46.
- *Sauer TC Jr, Durell GS, Brown JS, et al. 1989. Concentrations of chlorinated pesticides and PCBs in microlayer and seawater samples collected in open-ocean waters off the U.S. East Coast and in the Gulf of Mexico. Mar Chem 27:235-257.
- *Savage EP. 1989. Termiticide use and indoor air quality in the United States. Rev Environ Contam Toxicol 1 l&l 17-130.
- *Savage EP, Keefe TJ, Tessari JD; et al. 1981. National study of chlorinated hydrocarbon insecticide residues in human milk, USA I. Geographic distribution of dieldrin, heptachlor, heptachlor epoxide, chlordane, oxychlordane and mirex. Am J Epidemiol 113:413-422.
- *Schmitt Cl, Zajicek JL, Peterman PH. 1990. National contaminant biomonitoring program: Residues of organochlorine chemicals in USA freshwater fish, 1976-1984. Arch Environ Contam Toxicol 29(5):748-781.
- Schuurmann G, Klein W. 1988. Advances in bioconcentration prediction. Chemosphere 17(8):1551-1574.
- *Shakman RA. 1974. Nutritional influences on the toxicity of environmental pollutants. Arch Environ Health 28:105-113.
- *Shindell and Associates. 1981. Report on epidemiologic study of the employees of Velsicol Chemical Corporation Plant in Memphis, Tennessee: January 1952-December 1979. Report to Velsicol Chemical Corporation.

- *Shivankar VJ, Kavadia VS. 1989. Effects of temperature and humidity on the degradation of heptachlor residues in clay loam soil. Indian J Entomol 51(2):205-210.
- Simon J, Parker FL. 1984. Fate of heptachlor. In: Veziroglu TN, ed. The Biosphere: Problems and Solutions. Amsterdam, Holland: Elsevier Science Publishers, 453-460.
- *Sittig M. 1980. Pesticide manufacturing and toxic materials control encyclopedia. Park Ridge, NJ: Noyes Data Corporation, 165-171, 445-448.
- *Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens, 2nd ed. Park Ridge, NJ: Noves Publication, 480-482.
- *Smith JA, Harte PT, Hardy MA. 1987. Trace-metal and organochlorine residues in sediments of upper Rockaway River, New Jersey. Bull Environ Contam Toxicol 39~465-473.
- *Sperling F, Ewenike HKU, Farber T. 1972. Changes in LD₅₀of parathion and heptachlor following turpentine pretreatment. Environ Res 5:164-171.
- *SRI. 1990. 1990 directory of chemical producers. Menlo Park, CA: SRI International, 843. Stachel B, Dougherty RC, Lahl U, et al. 1989. Toxic environmental chemicals in human semen: Analytical method and case studies. Andrologia 21:282-291.
- Stan HJ. 1989. Application of capillary gas chromatography with mass selective detection to pesticide residue analysis. J Chromatogr 467:85-98.
- *Staples CA, Werner A, Hoogheem T. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. Environ Toxicol Chem 4:131-142.
- *Stehr-Green PA, Schilling RJ, Burse VW, et al. 1986. Evaluation of persons exposed to dairy products contaminated with heptachlor. JAMA 256(24):3350-3351.
- *Stehr-Green PA, Wohlleb JC, Royce W, et al. 1988. An evaluation of serum pesticide residue levels and liver function in persons exposed to dairy products contaminated with heptachlor. JAMA 259(3):374-377.
- *Steichen J, Koelliker J, Grosh D, et al. 1988. Contamination of farmstead wells by pesticides, volatile organics and inorganic chemicals in Kansas. GWMR 8:153-160.
- *Strachan WMJ. 1988. Toxic contaminants in rainfall in Canada: 1984. Environ Toxicol Chem 7:871-877.
- *Strassman SC, Kutz FW. 1977. Insecticide residues in human milk from Arkansas and Mississippi 1973-74. Pestic Monit J 10(4):130-133.
- *Stutz DR, Janusz SJ. 1988. Hazardous materials injuries: A handbook for pre-hospital care. 2nd ed. Beltsville, MD: Bradford Communications Corporation.

*Sun YP. 1972. Correlation of toxicity of insecticides to the house fly and to the mouse. J Econ Entomol 65(3)632-635.

Suntio LR, Shiu WY, MacKay D, et al. 1988. Critical review of Henry's law constants for pesticides. Rev Environ Contam Tox 103:1-59.

Suzaki E, Inoue B, Okimasu E, et al. 1988. Stimulative effect of chlordane on the various functions of the guinea pig leukocytes. Toxicol Appl Pharmacol 93:137-145.

Takahashi W, Saidin D, Takei G, et al. 1981. Organochlozide pesticide residues in human milk in Hawaii 1979-1980. Bull Environ Contam Toxicol 27:506-511.

*Takei GH, Kauahikaua SM, Leong GH. 1983. Analyses of human milk samples collected in Hawaii for residues of organochlorine pesticides and polychlorobiphenyls. Bull Environ Contam Toxicol 30:606-613.

*Tashiro S, Matsumura F. 1978. Metabolism of trans-nonachlor and related chlordane components in rat and man. Arch Environ Contam Toxicol 7:113-127.

*Telang S, Tony C, Williams GM. 1982. Epigenetic membrane effects of a possible tumor promoting type on cultured liver cells by the non-genotoxic organochlorine pesticides chlordane and heptachlor. Carcinogenesis 3:1175-1 178.

*Teufel M, Niessen KH, Sartoris J, et al. 1990. Chlorinated hydrocarbons in fat tissue: Analyses of residues in healthy children, tumor patients, and malformed children. Arch Environ Contam Toxicol, 19:(5)646-652.

Thomann RV. 1989. Bioaccumulation model of organic chemical distribution in aquatic food chains. Environ Sci Technol 23:699-707.

Travis CC, Arms AD. 1988. Bioconcentration of organ& in beef, milk, and vegetation. Environ Sci Technol 22:271-274.

Travis CC, Hattemer-Frey HA, Arms AD. 1988. Relationship between dietary intake of organic chemicals and their concentrations in human adipose tissue and breast milk. Arch Environ Contam Toxicol 17:473-478.

*TRI88. 1990. Toxic chemical release inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD

*University of Cincinnati. 1958. A summary of the observations pertaining to the physiological responses of Beagle dogs when they were fed diets containing various concentrations of heptachlor epoxide daily for a period of sixty weeks. Preliminary report. U.S. Environmental Protection Agency, Freedom of Information Office, MRID No. 00061912.

*USDOC. 1986. U.S. imports for consumption and general imports. Washington, DC: U.S. Department of Commerce, Bureau of the Census, Foreign Trade Division. Report FT 246/Annual 1985.

- *USITC. 1982a. Imports of benzenoid chemicals and products 1981. Washington, DC: U.S. International Trade Commission. Publication 1272.
- *USITC. 1982b. Synthetic organic chemicals: United States production and sales 1981. Washington, DC: U.S. International Trade Commission. Publication 1292.
- *USITC. 1983a. Imports of benzenoid chemicals and products 1982. Washington, DC: U.S. Government Printing Office. Publication 1401.
- *USITC. 1983b. Synthetic organic chemicals, United States production and sales 1982. Washington, DC: U.S. International Trade Commission. Publication 1422.
- *USITC. 1984a. Imports of benzenoid chemicals and products 1983. Washington, DC: U.S. International Trade Commission. Publication 1548.
- *USITC. 1984b. Synthetic organic chemicals, United States production and sales 1983. Washington, DC: U.S. International Trade Commission. Publication 1588.
- *USITC. 1985. Synthetic organic chemicals, United States production and sales 1984. Washington, DC: U.S. International Trade Commission. Publication 1745.
- *USITC. 1986. Synthetic organic chemicals, United States production and sales 1985. Washington, DC: U.S. International Trade Commission. Publication 1892, 235, 241.
- *Vershueren K. 1983. Handbook of environmental data on organic chemicals, 2nd ed. New York, NY: Van Nostrand Reinhold Company, 702-706.
- *WAC. 1988. Use of pesticides on land and water areas of the state of Wisconsin. Department of Natural Resources, Wisconsin Administrative Code. Chapter NR 80.
- *Wang HH, Grufferman S. 1981. Aplastic anemia and occupational pesticide exposure: A case-control study. J Occup Med 23(5):364-366.
- *Wang HH, MacMahon B. 1979a. Mortality of pesticide applicators. J Occup Med 21(11):741-744.
- *Wang HH, MacMahon B. 1979b. Mortality of workers employed in the manufacture of chlordane and heptachlor. J Occup Med 21(11):745-748.
- Wassermann M, Ron M, Bercovici B, et al. 1982. Premature delivery and organochlorine compounds: Polychlorinated biphenyls and some organochlorine insecticides. Environ Res 28:106-112.
- *Wassermann M, Tomatis L, Wassermann D, et al. 1974. Pesticides in people: Epidemiology of organochlorine insecticides in the adipose tissue of Israelis. Pestic Monit J 8(1):1-7.
- Waters MD, Claxton, LD, Stack HF, et al. 1990. Genetic activity profiles in the testing and evaluation of chemical mixtures. Teratogenesis Carcinog Mutagen 10(2):147-164.

- *Weatherholtz WM, Campbell TC, Webb RE. 1969. Effect of dietary protein levels on the toxicity and metabolism of heptachlor. J Nutr 98:90-94.
- *WHO. 1984. Environmental Health Criteria 38: Heptachlor. Geneva, Switzerland: World Health Organization.
- *Williams GM, Numoto S. 1984. Promotion of mouse liver neoplasms by the organochlorine pesticides chlordane and heptachlor in comparison to dichlorodiphenyltrichloroethane. Carcinogenesis 5(12):1689-1696.
- Williams GM, Mori H, McQueen CA 1989. Structure-activity relationships in the rat hepatoqte DNArepair test for 300 chemicals. Mutat Res 221:263-286.
- *Witherup S, Cleveland FP, Shaffer FE, et al. 1955. The physiological effects of the introduction of heptachlor into the diet of experimental animals in varying levels of concentration: Report of Experiment No. 2. U.S. Environmental Protection Agency, Freedom of Information Office, MRID No. 00062599.
- *Worthing CR, Walker SB, eds. 1987. The pesticide manual: A world compendium, 8th ed. Suffolk, Great Britain: The British Crop Protection Council; 455-456.
- *Wright CG, Leidy RB. 1982. Chlordane and heptachlor in the ambient air of houses treated for termites. Bull Environ Contam Toxicol 28:617-623.
- *Yamaguchi I, Matsumura F, Kadous AA. 1979. Inhibition of synaptic ATPases by heptachlor epoxide in rat brain. Pesticide Biochemistry and Physiology 11: 285-293.
- *Yamaguchi I, Matsumura F, Kadous AA. 1980. Heptachlor epoxide: Effects on calcium-mediated transmitter release from brain synaptosomes in rat. Biochem Pharmacol 29(12):1815-1823. Yess NJ. 1988. FDA pesticide program residues in foods 1987. J Assoc Off Anal Chem 71(6):156A-174A.
- *Zavon MR, Tye R, Latorre L. 1969. Chlorinated hydrocarbon insecticide content of the neonate. Ann NY Acad Sci 160:196-200.
- *Zeiger E, Anderson B, Haworth S, et al. 1987. Salmonella mutagenicity tests: III. Results from the testing of 255 chemicals. Environ Mutagen 9:1-110. Zlatkis A, Ghaoui L, Wang FS, et al. 1984. Direct gas-chromatographic analysis of halogenated hydrocarbons at the part-per-trillion level. J High Resolut Chromatogr Commun 7:370-374.